UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/583,881	06/21/2006	Michio Nishi	CU-4891 RJS	8922
26530 7590 01/21/2011 LADAS & PARRY LLP 224 SOUTH MICHIGAN AVENUE			EXAMINER	
			CALANDRA, ANTHONY J	
SUITE 1600 CHICAGO, IL 60604			ART UNIT	PAPER NUMBER
			1741	
			MAIL DATE	DELIVERY MODE
			01/21/2011	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	<u>, </u>	•
	Application No.	Applicant(s)
	10/583,881	NISHI ET AL.
Office Action Summary	Examiner	Art Unit
	ANTHONY J. CALANDRA	1741
The MAILING DATE of this communication ap Period for Reply	pears on the cover sheet with the c	correspondence address
A SHORTENED STATUTORY PERIOD FOR REPL WHICHEVER IS LONGER, FROM THE MAILING D. - Extensions of time may be available under the provisions of 37 CFR 1. after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period. - Failure to reply within the set or extended period for reply will, by statut Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	DATE OF THIS COMMUNICATION 136(a). In no event, however, may a reply be tin will apply and will expire SIX (6) MONTHS from e, cause the application to become ABANDONE	N. nely filed the mailing date of this communication. D (35 U.S.C. § 133).
Status		
1) ☐ Responsive to communication(s) filed on 17 M 2a) ☐ This action is FINAL . 2b) ☐ This 3) ☐ Since this application is in condition for allowed closed in accordance with the practice under	s action is non-final. ince except for formal matters, pro	
Disposition of Claims		
4) ☑ Claim(s) 7.11,14 and 15 is/are pending in the 4a) Of the above claim(s) is/are withdra 5) ☐ Claim(s) is/are allowed. 6) ☑ Claim(s) 7.11,14 and 15 is/are rejected. 7) ☐ Claim(s) is/are objected to. 8) ☐ Claim(s) are subject to restriction and/or	wn from consideration.	
Application Papers		
9) The specification is objected to by the Examina 10) The drawing(s) filed on is/are: a) accomposed and applicant may not request that any objection to the Replacement drawing sheet(s) including the correct and the option of the specific product of the specific p	cepted or b) objected to by the drawing(s) be held in abeyance. Section is required if the drawing(s) is objection	e 37 CFR 1.85(a). jected to. See 37 CFR 1.121(d).
Priority under 35 U.S.C. § 119		
 12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of: 1. Certified copies of the priority document 2. Certified copies of the priority document 3. Copies of the certified copies of the priority document * See the attached detailed Office action for a list 	ts have been received. ts have been received in Applicationity documents have been receivenuments (PCT Rule 17.2(a)).	on No ed in this National Stage
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date	4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal F 6) Other:	ate

The communication dated 11/17/2010 has been entered.

Claims 1-6, 8-10, and 12-13 are canceled. Claims 7 and 11 have been amended. Claims 14 and 15 are new. Claims 7, 11, 14 and 15 are currently pending.

Response to Arguments

Applicants argue that the feature of "dewatering the paper piece comprising squeezing and dewatering of the water-washed paper piece by a roller, centrifugal machine or a squeezing" machine is not taught by the prior art.

SMOOK teaches a press section which uses a series of rollers to squeeze water out of fiber [pg. 228 column 2 and Figure 16-1].

Applicants argue that a piece of paper discloses in SATORU does not correspond to paper stock of KAMO or the papermaking stock of SMOOK.

In the combination of JP638 and KAMO, as per JP638, a paper piece is removed a gypsum board by crushing the gypsum board and performing heating on the gypsum with the paper piece. The crushed and heated gypsum and paper is then mixed with water and agitated. The act of crushing with agitation/mixing into water breaks the paper piece into fibers dispersed in water (i.e. pulp). The instant specification agrees that the paper pieces can be dispersed into water [pg. 16 lines 30-34]. The separated paper piece which is now part of a pulp can be further washed as per KAMO.

Application/Control Number: 10/583,881 Page 3

Art Unit: 1741

Applicant argues that the act of crushing, agitating/mixing into water breaks the paper piece into being dispersed into water is technically incorrect.

The applicant does not explain why this is technically incorrect. The examiner refers to chapter 13 of SMOOK. The act of dispersing paper into water is called repulping [pg. 194 column 2]. Thus the act of dispersing a paper piece into water turns said paper piece into pulp. The act of taking used paper and then repulping it is known as recycling. Again, the act of dispersion and agitation turns the pulp into fibers [pg. 212 column 2].

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

The factual inquiries set forth in Graham v. John Deere Co., 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:

- 1. Determining the scope and contents of the prior art.
- 2. Ascertaining the differences between the prior art and the claims at issue.
- 3. Resolving the level of ordinary skill in the pertinent art.
- 4. Considering objective evidence present in the application indicating obviousness or nonobviousness.

This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out

Art Unit: 1741

the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

1. Claims 7 and 11 are rejected under 35 U.S.C. 103(a) as being unpatentable over JP 06-142638 SATORU et al., hereinafter SATORU, in view of U.S. Patent 6,470,898 KAMO, hereinafter KAMO, and <u>Handbook for Pulp and Paper Technologists</u> by SMOOK.

As for claims 7 and 11, SATORU teaches all the limitations as per above. SATORU discloses a crushing device for breaking up the gypsum boar (a device configured to break a waste material of gypsum board [paragraph 0002 and paragraph 0008]). SATORU further discloses a sieve for separating gypsum from the paper (a device configured to separate a burnt gypsum component and a paper piece from the broken waste material of gypsum board [paragraph 0008]). SATORU discloses a device in which water is added to the recovered paper, agitating the paper water mixture and the separating adhered gypsum (a device configured to disperse or mix the separated paper piece into water before washing the separated paper piece with water). SATORU completes this operation three times. SATORU does not appear to disclose using a washing drum to complete the washing operation or disclose a dewatering device (a rotary drum-type washing device configured to wash the separated paper piece with water so as to eliminate a burnt gypsum component adhering to the paper piece, and a device configured to dewater the water-washed paper piece [paragraph 0008]).

KAMO discloses a washing drum for washing pulp [abstract] for cleaning pulp. KAMO discloses that the pulp is fed at one end of the rotary drum and leaves out the other end of the rotary air-water through flow drum [column 1 lines 43-45, lines 52-56 and Figure 1 'A'

progresses from (4) to (5)]. KAMO further discloses a supply of water to the paper inside the drum (wherein the rotary drum-type washing device comprises a paper piece inlet at one end of rotatably lying air and water through-flow drum and a paper piece outlet at the other end thereof and is capable of supplying washing water to a paper piece in the air and water through-flow drum [column 2 lines 10-12 and Figure 2 (17)]).

At the time of the invention it would have been obvious to additionally wash the agitated used paper of SATORU in the washing device of KAMO. The person of ordinary skill in the art would be clearly motivated to use the washer of KAMO to obtain a clean pulp as KAMO states that the washer enhances filtration and dehydration to give a high cleaning effect [column 1 lines 60-63].

Alternatively, KAMO discloses a second known type of washing used paper of contaminants. A person of ordinary skill in the art would reasonably expect that by substituting or in combining the unit of KAMO with the unit SATORU that the paper would be washed. It is prima facie obvious to substitute/combine one known component for the same purpose with another known component for the same purpose absent evidence of unexpected results. The person of ordinary skill in the art would expect both washing methods of SATORU and KAMO to clean impurities from the pulp.

Neither KAMO nor SATORU disclose the steps that occur after washing of the recovered pulp. SMOOK discloses that the paper pulp can be made into paper via a paper machine [pg. 16-1]. SMOOK discloses that the paper slurry is drained and dewatered on the fourdrinier table and pressed in the press section (a device configured to dewater the water-washed paper piece [pg.

Application/Control Number: 10/583,881

Art Unit: 1741

Page 6

228 Figure 16-1]). The press section comprises rolls (wherein the dewatering device is a device configured to squeeze and dewater the water-washed paper piece by one of a roller, a centrifugal machine, and a squeezing machine). At the time of the invention it would have been obvious to the person of ordinary skill in the art to dewater and press the pulp formed by the process of KAMO and SATORU is the paper machine of SMOOK. The person of ordinary skill in the art would be motivated to do so to make paper which has a higher value then pulp fibers.

2. Claims 14 and 15 rejected under 35 U.S.C. 103(a) as being unpatentable over JP 06-142638 SATORU et al., hereinafter SATORU, U.S. Patent 6,470,898 KAMO, hereinafter KAMO, and Handbook for Pulp and Paper Technologists by SMOOK, as applied to claims 7 and 11 above, and further in view of U.S 5,255,540 LeBLANC et al., hereinafter LeBLANC

The art of KAMO/SATORUI/SMOOK fail to teach the hole size of the rotary drum washer. Leblanc discloses that the hole size in a washer must be small enough to prevent fibers from washing through the holes into the filtrate. LeBLANC discloses the range of 0.004 to 0.012 inches or 0.10-0.31 mm which overlaps with the instant claimed ranges [column 5 lines 40-50]. At the time of the invention it would have been obvious to the person of ordinary skill in the art to optimize the hole/slot size in the combination of KAMO/SATORUI/SMOOK to the size disclosed by LEBLANC. The person of ordinary skill in the art would be motivated to do so by LeBLANC to prevent the loss of fibers through the holes/slots. The person of ordinary skill in the art recognizes that to large of holes causes fiber loss while too small of holes requires higher water pressure for washing (smaller orifice area for water to pass through)

Application/Control Number: 10/583,881 Page 7

Art Unit: 1741

Conclusion

Any inquiry concerning this communication or earlier communications from the

examiner should be directed to ANTHONY J. CALANDRA whose telephone number is (571)

270-5124. The examiner can normally be reached on Monday through Thursday, 7:30 AM-5:00

PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Matthew Daniels can be reached on (571) 272-2450. The fax phone number for the

organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent

Application Information Retrieval (PAIR) system. Status information for published applications

may be obtained from either Private PAIR or Public PAIR. Status information for unpublished

applications is available through Private PAIR only. For more information about the PAIR

system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR

system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would

like assistance from a USPTO Customer Service Representative or access to the automated

information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Anthony J Calandra/

Examiner, Art Unit 1741

/Matthew J. Daniels/

Supervisory Patent Examiner, Art Unit 1741